

PUNJAB POLICE HOUSING CORPORATION LTD.
POLICE COMPLEX, PHASE-VII, SAS NAGAR.
TEL. NO.4080111, 4080112 & FAX No.4080107

No.15/2019-2020 DATED 22.10.2019

EXPRESSION OF INTEREST

Punjab Police Housing Corporation invites Expression of Interest for Providing & Fixing Auditorium Chairs for Auditorium at Punjab Police Academy, Phillaur. Preliminary documents showing technical specifications & other terms and conditions can be downloaded from the website www.pphcl.org.

Pre-bid meeting shall be held on 08.11.2019 at 11.30 AM in the Committee Room of PPHC.

Sd/-
MANAGING DIRECTOR

EXPRESSION OF INTEREST

1) **Objectives:-** The existing auditorium at PPA Phillaur is being renovated and is near completion. To put the same for Public use auditorium chairs are to be provided in the said building.

2) **Eligibility Criteria:-**

- I) Tenderer must have average annual turnover of Rs. 3 Crore in last 3 years. Documentary proof like balance sheet and profit and loss statement duly attested by CA to be attached alongwith technical tender.
- II) The tenderer should be an OEM/Authorized Dealer operational for past at least 5 years. Factory license shall be attached alongwith technical bid as a proof.
- III) The tenderer is required to confirm by providing Completion Certificate that the similar completed works during the last 3 years have been satisfactorily completed. Work certificate of the similar works should be issued by an authority not below the rank of Executive Engineer or equivalent. One similar work of 80% of the value of Tender / 2 similar works of 60% value of tender/ 3 similar works of 40% value of tender should have been executed by the Tenderer. The Certificate should include the value of the project with details, year of completion and time over-run if any.
- IV) The tenderer shall have in house manufacturing for Steel Furniture/Processed Woods/Powder Coating/PU Foam Chairs manufacturing as required for the products/item of work in this tender. The tenderer will submit sufficient documentary proof of the manufacturing facilities by submitting Factory License, EPF Registration, ESIC Registration, Trade Mark Certificate of the Brand Name, MOA of Company, GST Registration etc. Tenderer must also have a Warehouse in the same state.
- V) The Tenderer should not have been debarred/restrained/black listed by any Central Govt./State Govt. agency/Autonomous body of the Central or State Govt./PSU/any university or Institute etc. in the past for similar works. Duly notarized affidavit on non-judicial stamp paper to be submitted alongwith technical tender.
- VI) Tenderer must possess IGBC & BIFMA membership for last minimum 3 years and following ISO certifications:-

ISO 9001 : 2015

ISO 14001 : 2015

ISO 18001 : 2007

3) **Technical Specification Of Auditorium Chair**

Providing and Fixing Auditorium Chair at PPA Phillaur, Highback, with Polyurethane Armrest (full size without Cup Holder), having Auto Tip Up mechanism and Fixed Back as per size and specifications mentioned below:

i) Size

Width of Seat	-	19" clear seat size (arms extra)
Depth of Seat	-	16.5"
Height of Seat	-	18"
Height of Handles	-	24"
Total height (Including Back)	-	40" to 42"

Tolerance of \pm 2% shall be allowed.

i) Structure/Framework

Structure should be sturdy, each tenderer should give the details and be able to explain the same in the Pre-Tender meeting. They should give details of all the structural members of the chair, such as Back & Base frame, Side Panels, Legs, Grouting, etc.

ii) PU Foam (High Resilience, Automotive Grade Polyurethane Foam)

Size of Back Foam	-	700 X 470 X 80 MM
Size of Base Foam	-	490 X 450 X 120 MM
Density	-	50 ± 5Kg./M3
Constant Compression set Maximum	13% conforming to JIS K 6401	

Hardness : Cushion 120 (+30/-20) Newton

Backrest 80 (+30/-20) Newton

iii) Plastic Tray Cover

The Seat and back frame should be covered by PPCP cover (Poly Propylene Co Polymer) of 4mm thickness. The base cover should have Special Holes to absorb stray sound waves when chair is not occupied.

iv) Fabric

Fire Retardant fabric with 3mm high density lamination. (Cost Rs. 200/- per meter approx.)

Fabric and colour to be decided after approval of samples.

Leatherite Head Rest to be provided as per design approved.

v) Finish

All exposed and visible parts should be powder coated.

All fasteners should be zinc passivated.

vi) Seat & Row Marking

Seat number should be well placed on PPCP cover of Base and Back. Row number should be provided on the side panel of Aisle Seat. It should be made out of 2mm Aluminium Oval Strips.

vii) Aisle Lights

Aisle lights should be provided on the side panel of Aisle seat for illumination.

viii) Spring

- i) For Auto tip up mechanism - Torsion Spring / Spring Steel IS : 4454 1981 Grade 3 (Part 1) (tested for 5,00,000 Cycles)
- ii) For Back mechanism - Coil Spring / Steel Spring IS: 4454 1981 Grade 2 (tested for 1,00,00 Cycles)/Nylon strips 2" wide.

4) Terms & Conditions

- i) Tenderer must give five years warranty for products and will take responsibility to maintain the Chairs during the warranty period.
- ii) Tenderer should submit sample chair alongwith quote for which cost shall be borne by the tenderer. Commercial bid of successful sample only shall be opened.
- iii) Sample evaluation may be done at the premises of the tenderer after opening of technical tender, to check claims of manufacturing and quality processes as per the decision of Engineer in Charge. Cost of such visit shall be borne strictly by the tenderer, no claim under any circumstances may be put forth to the department in this regard.

- iv) Chairs shall be randomly tested in any NABL accredited Government laboratory at the cost of tenderer only.
- v) All works to be to the satisfaction of Engineer in charge.
- vi) Supplying & fixing of chairs is to be completed within two months after the Supply Order issued by the PPHC.

5) PAYMENT TERMS:-

- i) 80% payment will be released after receipt of material.
- ii) 20% payment will be released after completion of work.